



## MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SDS # : 38024

### NISSAN MOTOR OIL 0W30

Date of the previous version: 2013-03-19

Revision Date: 2013-06-14

Version 1.02

#### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

##### 1.1. Product identifier

|                               |                              |
|-------------------------------|------------------------------|
| <b>Product name</b>           | <b>NISSAN MOTOR OIL 0W30</b> |
| <b>Number</b>                 | <b>OQQ</b>                   |
| <b>Pure substance/mixture</b> | <b>Mixture</b>               |

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                        |            |
|------------------------|------------|
| <b>Identified uses</b> | Motor oil. |
|------------------------|------------|

##### 1.3. Details of the supplier of the safety data sheet

|                 |                                                                                                                                    |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------|
| <b>Supplier</b> | TOTAL LUBRIFIANTS<br>562 Avenue du Parc de L'île<br>92029 Nanterre Cedex<br>Tél: +33 (0)1 41 35 40 00<br>Fax: +33 (0)1 41 35 84 71 |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------|

##### For further information, please contact:

|                       |                        |
|-----------------------|------------------------|
| <b>Contact Point</b>  | HSE                    |
| <b>E-mail Address</b> | rm.msds-lubs@total.com |

##### 1.4. Emergency telephone number

+33 1 49 00 00 49 (24h/24, 7d/7)  
 France - ORFILA (INRS) Tél : +33 (0)1 45 42 59 59  
 In France : - PARIS : Hôpital Fernand Widal 200, rue du Faubourg Saint-Denis 75475 Paris Cédex 10 , Tel : 01.40.05.48.48. -  
 MARSEILLE : Hopital Salvator, 249 bd Ste Marguerite 13274 Marseille cedex 5, Tel : 04.91.75.25.25. - LYON : Hopital Edouard  
 Herriot, 5 place d'Arsonvol, 69437 Lyon cedex 3, Tel : 04.72.11.69.11. - NANCY : Hopital central, 29 Av du Mal De Lattre de  
 Tassigny, 54000 Nancy, Tel : 03.83.32.36.36 ou le SAMU : Tel ( 15 )

#### 2. HAZARDS IDENTIFICATION

##### 2.1. Classification of the substance or mixture

###### **REGULATION (EC) No 1272/2008**

*For the full text of the H-Statements mentioned in this Section, see Section 2.2.*

###### **DIRECTIVE 67/548/EEC or 1999/45/EC**

*For the full text of the R-phrases mentioned in this Section, see Section 16*



SDS # : 38024

**NISSAN MOTOR OIL 0W30**

Revision Date: 2013-06-14

Version 1.02

The substance/mixture is non-dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments

**Symbol(s)**

none

2.2. Label elements**Labelled according to**

Not classified/No labelling required

**R-phrases(s)**

none

**S-phrases(s)**

none

Safety data sheet available on request.

2.3. Other hazards**Physical-Chemical Properties**

Contaminated surfaces will be extremely slippery.

**Environmental properties**

Should not be released into the environment.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**3.2. Mixture**Chemical nature**

The product is made from refined mineral base oils and synthetic oils .

| Chemical Name                                                              | EC-No     | REACH registration No | CAS-No     | Weight % | Classification (Dir. 67/548) | Classification (Reg. 1272/2008)                                       |
|----------------------------------------------------------------------------|-----------|-----------------------|------------|----------|------------------------------|-----------------------------------------------------------------------|
| zinc bis[O-(6-methylheptyl)]<br>bis[O-(sec-butyl)]<br>bis(dithiophosphate) | 298-577-9 | 01-2119543726-33      | 93819-94-4 | <2.5     | Xi;R38-41<br>N;R51-53        | Skin Irrit. 2 (H315)<br>Eye Dam. 1 (H318)<br>Aquatic Chronic 2 (H411) |

**Additional information**

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

For the full text of the R-phrases mentioned in this Section, see Section 16

For the full text of the H-Statements mentioned in this Section, see Section 16.

**4. FIRST AID MEASURES**4.1. Description of first-aid measures



SDS # : 38024

## NISSAN MOTOR OIL 0W30

Revision Date: 2013-06-14

Version 1.02

|                       |                                                                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| <b>General advice</b> | IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.                                                 |
| <b>Eye contact</b>    | Rinse thoroughly with plenty of water, also under the eyelids.                                                                        |
| <b>Skin contact</b>   | Remove contaminated clothing and shoes. Wash off with soap and water. Wash contaminated clothing before reuse.                        |
| <b>Inhalation</b>     | Move to fresh air.                                                                                                                    |
| <b>Ingestion</b>      | Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately. |

### 4.2. Most important symptoms and effects, both acute and delayed

|                     |                                                                                                        |
|---------------------|--------------------------------------------------------------------------------------------------------|
| <b>Eye contact</b>  | Not classified.                                                                                        |
| <b>Skin contact</b> | Not classified.                                                                                        |
| <b>Inhalation</b>   | Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system. |
| <b>Ingestion</b>    | Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.        |

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

|                           |                        |
|---------------------------|------------------------|
| <b>Notes to physician</b> | Treat symptomatically. |
|---------------------------|------------------------|

## 5. FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

|                                       |                                                                    |
|---------------------------------------|--------------------------------------------------------------------|
| <b>Suitable Extinguishing Media</b>   | Foam. Carbon dioxide (CO <sub>2</sub> ). ABC powder. Water spray.  |
| <b>Unsuitable Extinguishing Media</b> | Do not use a solid water stream as it may scatter and spread fire. |

### 5.2. Special hazards arising from the substance or mixture

|                       |                                                                                                                                                                                                                                                      |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Special Hazard</b> | Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration. |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### 5.3. Advice for fire-fighters

|                                                       |                                                              |
|-------------------------------------------------------|--------------------------------------------------------------|
| <b>Special protective equipment for fire-fighters</b> | Wear self-contained breathing apparatus and protective suit. |
|-------------------------------------------------------|--------------------------------------------------------------|



SDS # : 38024

## NISSAN MOTOR OIL 0W30

Revision Date: 2013-06-14

Version 1.02

### Other information

Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General Information

Ensure adequate ventilation. Remove all sources of ignition. Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery.

### 6.2. Environmental precautions

#### General Information

Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

### 6.3. Methods and materials for containment and cleaning up

#### Methods for cleaning up

Dam up. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### 6.4. Reference to other sections

#### Personal Protective Equipment

See Section 8 for more detail.

#### Waste treatment

See section 13.

## 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

#### Advice on safe handling

When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.

#### Hygiene measures

Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Wash hands before breaks and immediately after handling the product. Regular cleaning of equipment, work area and clothing is recommended. Do not use abrasives, solvents or fuels. Avoid prolonged and repeated contact with the skin, especially with used or waste product. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets. Remove and wash contaminated clothing before re-use.

### 7.2. Conditions for safe storage, including any incompatibilities

SDS # : 38024

# NISSAN MOTOR OIL 0W30

Revision Date: 2013-06-14

Version 1.02

## Technical measures/Storage conditions

Keep away from food, drink and animal feedingstuffs. Keep container tightly closed. Keep in a bunded area. Do not remove the hazard labels of the containers (even if they are empty). Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.

## Materials to Avoid

Strong oxidizing agents.

## 7.3. Specific end uses

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

oil mist : 10mg/m<sup>3</sup>, for 15 minutes  
oil mist : 5mg/m<sup>3</sup>, for 8 hours

#### Legend

See section 16

#### DNEL Worker (Industrial/Professional)

| Chemical Name                                                                               | Short term, systemic effects | Short term, local effects | Long term, systemic effects                            | Long term, local effects |
|---------------------------------------------------------------------------------------------|------------------------------|---------------------------|--------------------------------------------------------|--------------------------|
| zinc<br>bis[O-(6-methylheptyl)]<br>bis[O-(sec-butyl)]<br>bis(dithiophosphate)<br>93819-94-4 |                              |                           | 0.58 mg/kg Dermal<br>8.31 mg/m <sup>3</sup> Inhalation |                          |

#### DNEL Consumer

| Chemical Name                                                                               | Short term, systemic effects | Short term, local effects | Long term, systemic effects                                               | Long term, local effects |
|---------------------------------------------------------------------------------------------|------------------------------|---------------------------|---------------------------------------------------------------------------|--------------------------|
| zinc<br>bis[O-(6-methylheptyl)]<br>bis[O-(sec-butyl)]<br>bis(dithiophosphate)<br>93819-94-4 |                              |                           | 0.29 mg/kg Dermal<br>2.11 mg/m <sup>3</sup> Inhalation<br>0.24 mg/kg Oral |                          |

#### Predicted No Effect Concentration (PNEC)

| Chemical Name                                                                               | Water                                            | Sediment                                     | Soil                  | Air | STP      | Oral             |
|---------------------------------------------------------------------------------------------|--------------------------------------------------|----------------------------------------------|-----------------------|-----|----------|------------------|
| zinc<br>bis[O-(6-methylheptyl)]<br>bis[O-(sec-butyl)]<br>bis(dithiophosphate)<br>93819-94-4 | 0.004 mg/l fw<br>0.0046 mg/l mw<br>0.021 mg/l or | 0.0116 mg/kg dw<br>fw<br>0.00116 mg/kg dw mw | 0.00528 mg/kg soil dw |     | 100 mg/l | 10.67 mg/kg food |

### 8.2. Exposure controls



SDS # : 38024

**NISSAN MOTOR OIL 0W30**

Revision Date: 2013-06-14

Version 1.02

**Occupational Exposure Controls****Engineering Measures**

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

**Personal Protective Equipment****General Information**

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

**Respiratory protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.

**Eye Protection**

If splashes are likely to occur, wear: Safety glasses with side-shields.

**Skin and body protection**

Wear suitable protective clothing. Long sleeved clothing. Extended and repeated contacts with skin can cause skin ailments which may be aggravated by minor injuries or contact with soiled clothing.

**Hand Protection**

Hydrocarbon-proof gloves: Nitrile rubber, Fluorinated rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

**Environmental exposure controls****General Information**

The product should not be allowed to enter drains, water courses or the soil.

**9. PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties**

|                             |                      |                          |
|-----------------------------|----------------------|--------------------------|
| Color                       |                      | brown                    |
| Physical State @20°C        |                      | liquid                   |
| Odor                        |                      | Characteristic           |
| <u>Property</u>             | <u>Values</u>        | <u>Remarks</u>           |
| pH                          |                      | Not applicable           |
| Boiling point/boiling range |                      | No information available |
| Flash point                 | > 220 °C<br>> 428 °F |                          |
| Evaporation rate            |                      | No information available |



SDS # : 38024

## NISSAN MOTOR OIL 0W30

Revision Date: 2013-06-14

Version 1.02

|                                    |                                                  |                                         |                          |
|------------------------------------|--------------------------------------------------|-----------------------------------------|--------------------------|
| Flammability Limits in Air         |                                                  | No information available                |                          |
| Vapor Pressure                     |                                                  | No information available                |                          |
| Vapor density                      |                                                  | No information available                |                          |
| Density                            | 833 - 853 kg/m <sup>3</sup>                      | @ 15 °C                                 |                          |
| Water solubility                   |                                                  | Insoluble                               |                          |
| Solubility in other solvents       |                                                  | Soluble in many common organic solvents |                          |
| logPow                             |                                                  | No information available                |                          |
| Autoignition temperature           | > 250 °C<br>> 482 °F                             |                                         | ASTM E 659<br>ASTM E 659 |
| Viscosity, kinematic               | 68.5 mm <sup>2</sup> /s<br>12 mm <sup>2</sup> /s | @ 40 °C<br>@ 100 °C                     | ISO 3104<br>ISO 3104     |
| Explosive properties               | Not explosive                                    |                                         |                          |
| Oxidizing Properties               | Not applicable                                   |                                         |                          |
| Possibility of hazardous reactions | Not applicable                                   |                                         |                          |

### 9.2. Other information

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

### 10.2. Chemical stability

**Stability** Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous Reactions** None under normal processing.

### 10.4. Conditions to Avoid

**Conditions to Avoid** Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

### 10.5. Incompatible Materials

**Materials to Avoid** Strong oxidizing agents.

### 10.6. Hazardous Decomposition Products

**Hazardous Decomposition Products** Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

## 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects



SDS # : 38024

**NISSAN MOTOR OIL 0W30**

Revision Date: 2013-06-14

Version 1.02

**Acute toxicity Local effects Product Information**

|                     |                                                                                                          |
|---------------------|----------------------------------------------------------------------------------------------------------|
| <b>Skin contact</b> | . Not classified.                                                                                        |
| <b>Eye contact</b>  | . Not classified.                                                                                        |
| <b>Inhalation</b>   | . Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system. |
| <b>Ingestion</b>    | . Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.        |

**Acute toxicity - Component Information**

| Chemical Name                                                           | LD50 Oral             | LD50 Dermal                              | LC50 Inhalation |
|-------------------------------------------------------------------------|-----------------------|------------------------------------------|-----------------|
| zinc bis[O-(6-methylheptyl)]<br>bis[O-(sec-butyl)] bis(dithiophosphate) | LD50 2600 mg/kg (Rat) | LD50 > 3160 mg/kg (Rabbit -<br>OECD 402) |                 |

**Sensitization**

**Sensitization** Not classified as a sensitizer.

**Specific effects**

|                               |                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Carcinogenicity</b>        | This product is not classified carcinogenic. During use in engines, contamination of oil with low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil is thoroughly removed by washing with soap and water. |
| <b>Mutagenicity</b>           | This product is not classified as mutagenic.                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Reproductive toxicity</b>  | This product does not present any known or suspected reproductive hazards.                                                                                                                                                                                                                                                                                                                                                             |
| <b>Repeated Dose Toxicity</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                        |

**Subchronic toxicity** No information available.

**Target Organ Effects (STOT)**

**Target Organ Effects (STOT)** No information available.

**Other information**

**Other adverse effects** Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).

**12. ECOLOGICAL INFORMATION****12.1. Toxicity**

Not classified.



SDS # : 38024

# NISSAN MOTOR OIL 0W30

Revision Date: 2013-06-14

Version 1.02

## Acute aquatic toxicity - Product Information

No information available.

## Acute aquatic toxicity - Component Information

| Chemical Name                                                                   | Toxicity to algae                                            | Toxicity to daphnia and other aquatic invertebrates | Toxicity to fish                                      | Toxicity to microorganisms |
|---------------------------------------------------------------------------------|--------------------------------------------------------------|-----------------------------------------------------|-------------------------------------------------------|----------------------------|
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) 93819-94-4 | EbC50 (96h) 2.1 mg/l<br>Selenastrum capricornutum (OECD 201) | EL50 (48h) 5.4 mg/l Daphnia magna (OECD 202)        | LC50 (96h) 4.5 mg/l<br>Oncorhynchus mykiss (OECD 203) |                            |

## Chronic aquatic toxicity - Product Information

No information available.

## Chronic aquatic toxicity - Component Information

No information available.

## Effects on terrestrial organisms

No information available.

## 12.2. Persistence and degradability

### General Information

No product level data available.

## 12.3. Bioaccumulative potential

**Product Information** No information available.

**logPow** No information available

### Component Information

| Chemical Name                                                                     | log Pow |
|-----------------------------------------------------------------------------------|---------|
| zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) - 93819-94-4 | 0.9     |

## 12.4. Mobility in soil

**Soil** Given its physical and chemical characteristics, the product generally shows low soil mobility.

**Air** Loss by evaporation is limited.

**Water** The product is insoluble and floats on water.

## 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** No information available.



SDS # : 38024

**NISSAN MOTOR OIL 0W30**

Revision Date: 2013-06-14

Version 1.02

12.6. Other adverse effects

**General Information** No information available.

**13. DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods

|                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Waste from Residues / Unused Products</b> | Dispose of in accordance with the European Directives on waste and hazardous waste. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is forbidden. |
| <b>Contaminated packaging</b>                | Empty containers should be taken to an approved waste handling site for recycling or disposal.                                                                                                                                                                                                                                                                                                                                                                        |
| <b>EWC Waste Disposal No.</b>                | The following Waste Codes are only suggestions: 13 02 06.                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Other information</b>                     | According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.                                                                                                                                                                                                                                                        |

**14. TRANSPORT INFORMATION**

|                  |               |
|------------------|---------------|
| <u>ADR/RID</u>   | Not regulated |
| <u>IMDG/IMO</u>  | Not regulated |
| <u>ICAO/IATA</u> | Not regulated |
| <u>ADN</u>       | Not regulated |

**15. REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union



SDS # : 38024

**NISSAN MOTOR OIL 0W30**

Revision Date: 2013-06-14

Version 1.02

**International Inventories****EINECS/ELINCS**

-

**TSCA**

-

**DSL**

-

**ENCS**

-

**IECSC**

-

**KECL**

-

**PICCS**

-

**AICS**

-

**NZIoC**

-

**Legend****EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AICS** - Australian Inventory of Chemical Substances**NZIoC** - New Zealand Inventory of Chemicals**Further information****15.2. Chemical Safety Assessment****Chemical Safety Assessment** No information available**16. OTHER INFORMATION****Full text of R-phrases referred to under sections 2 and 3**

R41 - Risk of serious damage to eyes

R38 - Irritating to skin

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

**Full text of H-Statements referred to under sections 2 and 3**

H315 - Causes skin irritation

H318 - Causes serious eye damage

H411 - Toxic to aquatic life with long lasting effects

**Abbreviations, acronyms****Legend Section 8**

+

Sensitizer

\*

Skin designation

\*\*

Hazard Designation

C:

Carcinogen

M:

Mutagen

R:

Toxic to reproduction

**Revision Date:**

2013-06-14

**Revision Note**

\*\*\* Indicates updated section.



---

SDS # : 38024

## NISSAN MOTOR OIL 0W30

Revision Date: 2013-06-14

Version 1.02

---

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

---

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet